



RECEIVED

FEB 05 2004


TECH CENTER 1800/2800




ChAT/Ptc 1, 40x
Fig. 1C




ChAT/Ptc 1, 20x
Fig. 1F



Ptc 1, 10x
Fig. 1B




Ptc 1, 10x
Fig. 1E




ChAT, 10x
Fig. 1A



ChAT, 10x
Fig. 1D




2/6



RECEIVED
FEB 05 2004
TECH CENTER 1630/3000

Fig. 2



3/6




Fig. 3

RECEIVED

FEB 05 2004

TECH CENTER 1000/2000





Fig. 4

O I P E J C O A
FEB 0 2 2004
PATENT & TRADEMARK OFFICE

4/6



RECEIVED

FEB 0 5 2004

IN CENTER 1600/000

Fig. 5




Fig. 6A




Fig. 6D




Fig. 6B



Fig. 6E




Fig. 6C





Fig. 6F

RECEIVED


FEB 05 2004

TECH CENTER 10. 127



Control

Fig. 7A



NGF 50 ng/ml

Fig. 7D



Shh 4 μ g/ml

Fig. 7B



Shh/NGF

Fig. 7E



II-Shh 1 μ g/ml

Fig. 7C



II-Shh/NGF

Fig. 7F

RECEIVED

FEB 05 2004

TECHNICAL